


**S** Single Cavity Application



**M** MultiCavity Application

Code	C - L	1	2	T(2)	3	4/0	4/1	5	6 - 7	
UGRP502 1/2/3/4	M 0/1	C 47 L 68	UGCRP52 1/2/3/4	0950038A0250X	SF151051000J	UGBCRP50	UG5PURP0TZ	UG5PURP0CU	UGCRP50TE**M	UGACOR08
UGRP502 1/2/3/4	S 0/1	C 47 L 74	UGCRP52 1/2/3/4	0950038A0250X	SF151051000J	UGBCRP50	UG5PURP0TZ	UG5PURP0CU	UGCRP50TE**S	UGAS2926
UGRP503 1/2/3/4	M 0/1	C 60 L 81	UGCRP53 1/2/3/4	0950051A0300X	SF151051000J	UGBCRP50	UG5PURP0TZ	UG5PURP0CU	UGCRP50TE**M	UGACOR08
UGRP503 1/2/3/4	S 0/1	C 60 L 87	UGCRP53 1/2/3/4	0950051A0300X	SF151051000J	UGBCRP50	UG5PURP0TZ	UG5PURP0CU	UGCRP50TE**S	UGAS2926
UGRP504 1/2/3/4	M 0/1	C 73 L 94	UGCRP54 1/2/3/4	0950064A0350X	SF151051000J	UGBCRP50	UG5PURP0TZ	UG5PURP0CU	UGCRP50TE**M	UGACOR08
UGRP504 1/2/3/4	S 0/1	C 73 L 100	UGCRP54 1/2/3/4	0950064A0350X	SF151051000J	UGBCRP50	UG5PURP0TZ	UG5PURP0CU	UGCRP50TE**S	UGAS2926

INJECTION VESTIGE: T4V MULTIPOINT NOZZLES FOR DIRECT AXIAL INJECTION - YES: minimum injection vestige - YES: injecting more parts with one only nozzle - YES: more than one gate vestige on the same part - YES: plastics that leave stringings/droolings while mould opens.. - YES: colour change - YES: abrasive reinforcements (choose the 4/0 tip) - YES: SINGLE and MULTI-CAVITY applications - NO: intense colours

- 1 = Multipoint body ( No.1-2-3-4)
- 2 = Cartridge heaters (No.3 for 1 and 3 points nozzles; No.4 for 2 and 4 points nozzles)
- T2= J thermocouple
- 3 = Bushing
- 4/0 = Abrasive charges tip
- 4/1 = Cu-Be tip
- 5 = Nozzle head (\*\*=13for 1 and 3 points nozzles; \*\*=24 for 2 and 4 points nozzles)
- (M=MultiCavity / S=Single Cavity)
- 6 = Centering Ring
- 7= O-Ring

- Ød Standard : 0.6 ÷ 1,0 On request: 1,1 ÷ 2,0
- ØD1= 1÷23
- ØD2= 14÷23
- ØD3= 16÷23
- ØD4= 19÷23

